The Laser System for The Muonic Hydrogen Lamb Shift Measurement

Yi-Wei Liu, ^{1,2} F. Biraben, ³ C.A.N. Conde, ⁴ C. Donche-Gay, ⁵ T.W. Hänsch, ⁶ F.J. Hartmann, ⁷ P. Hauser, ² V.W. Hughes, ¹ O. Huot, ⁵ P. Indelicato, ³ P. Knowles, ⁵ F. Kottmann, ² F. Mulhauser, ⁵ F. Nez, ³ C. Petitjean, ² P. Rabinowitz, ⁸ R. Pohl, ^{2,9} J.M.F. dos Santos, ⁴ L.A. Schaller, ⁵ H. Schneuwly, ⁵ W. Schott, ⁷ L.M. Simons, ² D. Taqqu, ² F. Trehin, ³ and J.F.C.A. Veloso ⁴

¹Physics Department, Yale University, New Haven, CT06520-8121, USA

²Paul Scherrer Institute, CH-5232 Villigen PSI, Switzerland

³Laboratoire Kastler Brossel, F-75252 Paris CEDEX 05, France

⁴Departamento de Fisica, Universidade de Coimbra, P-3000 Coimbra, Portugal

⁵Institut de Physique de l'Université, CH-1700 Fribourg, Switzerland

⁶Max-Planck-Institut für Quantenoptik, D-85748 Garching, Germany

⁷Physik-Department, Technische Universität München, D-85747 Garching, Germany

⁸Department of Chemistry, Princeton University, Princeton, NJ08544-1009, USA

⁹Institut für Teilchenphysik, ETHZ, CH-8093 Zürich, Switzerland

We report on the proposed laser system for the muonic hydrogen 2S-2P experiment at PSI [1]. This experiment is aiming at measuring the 2S-2P energy splitting dominated by vacuum polarization (the Lamb shift) to an accuracy of 30ppm, which corresponds to 10% of the natural linewidth. The proton charge radius can be deduced with a 10^{-3} relative accuracy, 20 times more precise than presently known.

The n=2 level diagram is shown in fig.1. The theoretical predicted energy splitting of the $2S_{1/2}(F=1) \rightarrow 2P_{3/2}(F=2)$ transition is 206meV ($\lambda=6\mu$ m). The required laser system should provide a laser field with a linewidth of 0.1cm^{-1} , and illuminate a relatively large volume, i.e., $180 \times 15 \times 5 \text{ mm}^3$, which is the muon stop volume in the hydrogen gas.

Since the beam source of PSI is quasi-cw, therefore the μp atoms are produced at random time with an average rate of $\sim 100/{\rm sec}$. The laser pulse must be triggered by the signal of an incident muon, and build up the laser field in the interaction region with a delay of less than a few hundreds ns, well below the lifetime of the muon (2 $\mu {\rm sec}$). An excimer laser, which can be triggered by an external signal (the incident muon) with a delay of $\sim 300 {\rm ns}$, is chosen to be the laser power generator at the first stage, followed by several stages of frequency conversion to reach the required 6 $\mu {\rm m}$ wavelength.

The laser system is shown in fig.2. The XeCl excimer laser is capable of providing a pulse of > 600mJ with a pulse width of 28 ns and a repetition rate of 10 Hz (this will be increased to 50 Hz using a new discharge tube later). It is used to pump the dye laser, which is based on the Coumarin 307 dye, and delivers a 120mJ pulse at 500nm. It subsequently pumps the pulsed Ti:Sapphire laser. For a better frequency tuning and a narrow linewidth, a cw Ti:Sapphire laser, pumped by a frequency doubled Nd:Yag laser, is used as a seed of the pulsed Ti:Sapphire laser.

In the pulsed Ti:Sapphire laser, the oscillator-amplifier configuration is expected to generate a 12mJ pulse at 708nm. The transverse mode structure of the output will be constrained to TEM_{00} , which is important for the following multi-pass Raman shifter.

We are planning to utilize a multi-pass H_2 Raman shifter to convert the wavelength from the visible to $6\mu m$. The third Stokes radiation, at $6\mu m$, can be generated with a quantum efficiency as high as 36% [2]. The Raman shifter is 2m long and filled with 10 bar H_2 gas.

The final $6\mu m$ laser beam is directed into a multi-pass interaction cavity, which consists of two highly reflecting mirrors. One of the mirrors has adiabatic bent edges on both sides to achieve a lower round-trip loss. For a mirror reflectivity of 99.9%, there are more than 300 reflections in the horizontal direction providing an energy flux of $\sim 10 \text{mJ/cm}^2$ to excite the 2S-2P transition. The rate of the laser induced 2S-2P transition detected using the subsequent 2P-1S x-rays is $\sim 10/\text{hr}$.

The recent results from the prototype of the dye and Ti:Sapphire lasers will be presented in the conference poster session.




Figure 1: The energy structure of the n=2 level in μp . The shift Δ is due to the level mixing effect.




Figure 2: The 6 μ m pulsed laser system for the μ p 2S-2P transition.

- [1] F. Kottmann et al., PSI Proposal R-98-03.1 (1998).
- [2] P. Rabinowitz et al., IEEE J. Quant. Electr. 22 797 (1986).